

Interactions with Entry & Integrase Inhibitors

Charts revised January 2012. Full information available at www.hiv-druginteractions.org

Page 1 of 2

	MVC	RAL
Analgesics		
Alfentanil	◇	◇
Aspirin	◇	◇
Buprenorphine	◇	◇
Celecoxib	◇	◇
Codeine	◇	◇
Dextropropoxyphene	◇	◇
Diamorphine (diacetylmorphine)	◇	◇
Diclofenac	◇	◇
Dihydrocodeine	◇	◇
Fentanyl	◇	◇
Ibuprofen	◇	◇
Mefenamic acid	◇	◇
Methadone	◇	◇
Morphine	◇	◇
Naproxen	◇	◇
Nimesulide	◇	◇
Paracetamol	◇	◇
Pethidine (Meperidine)	◇	◇
Piroxicam	◇	◇
Tramadol	◇	◇
Antiarrhythmics		
Amiodarone	◇	◇
Bepidil	◇	◇
Disopyramide	◇	◇
Flecainide	◇	◇
Lidocaine (Lignocaine)	◇	◇
Mexiletine	◇	◇
Propafenone	◇	◇
Quinidine	◇	◇
Antibacterials		
Amikacin	◇	◇
Amoxicillin	◇	◇
Azithromycin	◇	◇
Ciprofloxacin	◇	◇
Clarithromycin	◇	◇
Clavulanic acid	◇	◇
Clindamycin	◇	◇
Dapsone	◇	◇
Ertapenem	◇	◇
Erythromycin	◇	◇
Ethambutol	◇	◇
Isoniazid	◇	◇
Meropenem	◇	◇
Metronidazole	◇	◇
Moxifloxacin	◇	◇
Ofloxacin	◇	◇
Penicillins	◇	◇
Pyrazinamide	◇	◇
Rifabutin	◇	◇
Rifampicin	◇	◇
Rifapentine	◇	◇
Streptomycin	◇	◇
Tetracyclines	◇	◇
Trimethoprim/Sulfamethoxazole	◇	◇
Anticonvulsants		
Carbamazepine	◇	◇
Clonazepam	◇	◇
Ethosuximide	◇	◇
Gabapentin	◇	◇
Lacosamide	◇	◇
Lamotrigine	◇	◇
Levetiracetam	◇	◇
Oxcarbazepine	◇	◇
Phenobarbital (Phenobarbitone)	◇	◇
Phenytoin	◇	◇
Pregabalin	◇	◇
Topiramate	◇	◇
Valproate (Divalproex)	◇	◇
Vigabatrin	◇	◇

	MVC	RAL
Antidepressants		
Amisriptyline	◇	◇
Bupropion	◇	◇
Citalopram	◇	◇
Clomipramine	◇	◇
Desipramine	◇	◇
Doxepin	◇	◇
Fluoxetine	◇	◇
Lithium	◇	◇
Mirtazapine	◇	◇
Nefazodone	◇	◇
Nortriptyline	◇	◇
Paroxetine	◇	◇
Sertraline	◇	◇
Trazodone	◇	◇
Venlafaxine	◇	◇
Anti-diabetics		
Glibenclamide (Glyburide)	◇	◇
Gliclazide	◇	◇
Glipizide	◇	◇
Insulin	◇	◇
Metformin	◇	◇
Pioglitazone	◇	◇
Repaglinide	◇	◇
Rosiglitazone	◇	◇
Tolbutamide	◇	◇
Antifungals		
Amphotericin B	◇	◇
Caspofungin	◇	◇
Fluconazole	◇	◇
Flucytosine	◇	◇
Itraconazole	◇	◇
Ketoconazole	◇	◇
Miconazole	◇	◇
Posaconazole	◇	◇
Terbinafine	◇	◇
Voriconazole	◇	◇
Antihistamines		
Astemizole	◇	◇
Cetirizine	◇	◇
Fexofenadine	◇	◇
Loratadine	◇	◇
Promethazine	◇	◇
Terfenadine	◇	◇
Antimigraine Agents		
Dihydroergotamine	◇	◇
Ergotamine	◇	◇
Sumatriptan	◇	◇
Anti-platelet and Anti-coagulant		
Acenocoumarol	◇	◇
Clopidogrel	◇	◇
Dabigatran	◇	◇
Phenprocoumon	◇	◇
Rivaroxaban	◇	◇
Warfarin	◇	◇
Antiprotozoals		
Amodiaquine	◇	◇
Artemisinins	◇	◇
Atovaquone	◇	◇
Chloroquine	◇	◇
Halofantrine	◇	◇
Lumefantrine	◇	◇
Mefloquine	◇	◇
Pentamidine	◇	◇
Primaquine	◇	◇
Proguanil	◇	◇
Pyrimethamine	◇	◇
Quinine	◇	◇
Sulfadoxine/pyrimethamine	◇	◇

	MVC	RAL
Antipsychotics/Neuroleptics		
Chlorpromazine	◇	◇
Clozapine	◇	◇
Haloperidol	◇	◇
Olanzapine	◇	◇
Perphenazine	◇	◇
Pimozide	◇	◇
Quetiapine	◇	◇
Risperidone	◇	◇
Sulpiride	◇	◇
Thioridazine	◇	◇
Antivirals		
Aciclovir	◇	◇
Adefovir	◇	◇
Amantadine	◇	◇
Boceprevir	◇	◇
Cidofovir	◇	◇
Entecavir	◇	◇
Famciclovir	◇	◇
Foscarnet	◇	◇
Ganciclovir	◇	◇
Oseltamivir	◇	◇
Ribavirin	◇	◇
Rimantadine	◇	◇
Telaprevir	◇	◇
Valaciclovir	◇	◇
Zanamivir	◇	◇
Anxiolytics/Hypnotics/ Sedatives		
Alprazolam	◇	◇
Chlordiazepoxide	◇	◇
Clorazepate	◇	◇
Diazepam	◇	◇
Estazolam	◇	◇
Flunitrazepam	◇	◇
Flurazepam	◇	◇
Lorazepam	◇	◇
Lormetazepam	◇	◇
Midazolam (oral)	◇	◇
Midazolam (parenteral)	◇	◇
Oxazepam	◇	◇
Temazepam	◇	◇
Triazolam	◇	◇
Zolpidem	◇	◇
Zopiclone	◇	◇
Beta Blockers		
Atenolol	◇	◇
Bisoprolol	◇	◇
Carvedilol	◇	◇
Metoprolol	◇	◇
Propranolol	◇	◇
Bronchodilator		
Montelukast	◇	◇
Salbutamol	◇	◇
Salmeterol	◇	◇
Theophylline	◇	◇
Calcium Channel Blockers		
Amlodipine	◇	◇
Diltiazem	◇	◇
Felodipine	◇	◇
Nicardipine	◇	◇
Nifedipine	◇	◇
Nisoldipine	◇	◇
Verapamil	◇	◇

Key to abbreviations

MVC	Maraviroc (Celsentri®, Selzentry®)
RAL	Raltegravir (Isentress®)

Key to symbols

Filled symbols indicate further information on the interaction is available at www.hiv-druginteractions.org. Empty symbols indicate the combination has not been studied; an interaction has been predicted based on the metabolic profiles of the drugs.

●/○	These drugs should not be coadministered
◻/◻	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
◇/◇	No clinically significant interaction expected
◆/◆	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool HIV Pharmacology Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise however or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with Entry & Integrase Inhibitors

Charts revised January 2012. Full information available at www.hiv-druginteractions.org

Page 2 of 2

	MVC	RAL
Contraceptives/HRT		
Drospirenone	◇	◇
Dydrogesterone	◇	◇
Estradiol	◇	◇
Ethinylestradiol	◇	◇
Etonogestrel	◇	◇
Levonorgestrel	◇	◇
Medroxyprogesterone (IM)	◇	◇
Medroxyprogesterone (oral)	◇	◇
Norethisterone (Norethindrone)	◇	◇
Norgestimate	◇	◇
Ulipristal	◇	◇
Cytotoxics		
Bleomycin	◇	◇
Cyclophosphamide	◇	◇
Cytarabine	◇	◇
Dacarbazine	◇	◇
Docetaxel	◇	◇
Doxorubicin	◇	◇
Etoposide	◇	◇
Irinotecan	◇	◇
Paclitaxel	◇	◇
Tamoxifen	◇	◇
Vinblastine	◇	◇
Vincristine	◇	◇
Erectile Dysfunctional Agents		
Sildenafil (Erectile Dysfunction)	◇	◇
Tadalafil	◇	◇
Vardenafil	◇	◇
Gastrointestinal Agents		
Antacids	◇	◇
Cimetidine	◇	◇
Cisapride	◇	◇
Esomeprazole	◇	◇
Famotidine	◇	◇
Lansoprazole	◇	◇
Loperamide	◇	◇
Mesalazine	◇	◇
Omeprazole	◇	◇
Pantoprazole	◇	◇
Rabeprazole	◇	◇
Ranitidine	◇	◇
Gastrointestinal Agents (anti-emetics)		
Domperidone	◇	◇
Dronabinol	◇	◇
Metoclopramide	◇	◇
Ondansetron	◇	◇
Prochlorperazine	◇	◇
General Anaesthetics & Muscle Relaxants		
Cisatracurium	◇	◇
Desflurane	◇	◇
Dexmedetomidine	◇	◇
Enflurane	◇	◇
Halothane	◇	◇
Isoflurane	◇	◇
Ketamine	◇	◇
Propofol	◇	◇
Rocuronium	◇	◇
Sevoflurane	◇	◇
Sufentanil	◇	◇
Suxamethonium (succinylcholine)	◇	◇

	MVC	RAL
Herbals/Supplements/Vitamins		
Cyanocobalamin	◇	◇
Echinacea	◇	◇
Folic acid	◇	◇
Garlic	◇	◇
Ginkgo biloba	◇	◇
Grapefruit juice	◇	◇
Hops (Humulus lupulus)	◇	◇
Milk thistle	◇	◇
Quercetin	◇	◇
Seville orange juice	◇	◇
St John's Wort	◇	◇
Valerian	◇	◇
Vitamin E	◇	◇
Hypertension / Heart Failure Agents		
Amiloride	◇	◇
Bendroflumethiazide	◇	◇
Bosentan	◇	◇
Candesartan	◇	◇
Chlortalidone	◇	◇
Cilazapril	◇	◇
Doxazosin	◇	◇
Enalapril	◇	◇
Furosemide	◇	◇
Indapamide	◇	◇
Irbesartan	◇	◇
Lacidipine	◇	◇
Lercanidipine	◇	◇
Lisinopril	◇	◇
Losartan	◇	◇
Olmesartan	◇	◇
Perindopril	◇	◇
Quinapril	◇	◇
Ramipril	◇	◇
Sildenafil (PAH)	◇	◇
Telmisartan	◇	◇
Trandolapril	◇	◇
Valsartan	◇	◇
Illicit/Recreational		
Alcohol	◇	◇
Cocaine	◇	◇
Gamma-hydroxybutyrate	◇	◇
Marijuana	◇	◇
MDMA (Ecstasy)	◇	◇
Methamphetamine	◇	◇
Immune Modulators		
Hydroxyurea	◇	◇
Interferon alpha	◇	◇
Interleukin 2	◇	◇
Peginterferon alfa-2a	◇	◇
Immunosuppressants		
Azathioprine	◇	◇
Ciclosporin	◇	◇
Mycophenolate	◇	◇
Sirolimus	◇	◇
Tacrolimus	◇	◇

	MVC	RAL
Lipid Lowering Agents		
Atorvastatin	◇	◇
Bezafibrate	◇	◇
Clofibrate	◇	◇
Ezetimibe	◇	◇
Fenofibrate	◇	◇
Fish oils	◇	◇
Fluvastatin	◇	◇
Gemfibrozil	◇	◇
Lovastatin	◇	◇
Pravastatin	◇	◇
Rosuvastatin	◇	◇
Simvastatin	◇	◇
Other		
Alendronic Acid	◇	◇
Alfuzosin	◇	◇
Allopurinol	◇	◇
Apomorphine	◇	◇
Biperiden	◇	◇
Caffeine	◇	◇
Calcium	◇	◇
Digoxin	◇	◇
Disulfiram	◇	◇
Dutasteride	◇	◇
Ergometrine (Ergonovine)	◇	◇
Ibandronic acid	◇	◇
Isotretinoin	◇	◇
Levodopa	◇	◇
Nicorandil	◇	◇
Orlistat	◇	◇
Potassium	◇	◇
Pramipexole	◇	◇
Spiroglactone	◇	◇
Tamsulosin	◇	◇
Torsemide	◇	◇
Tranexamic acid	◇	◇
Varenicline	◇	◇
Steroids		
Budesonide	◇	◇
Dexamethasone	◇	◇
Fludrocortisone	◇	◇
Fluticasone	◇	◇
Hydrocortisone (oral)	◇	◇
Hydrocortisone (topical)	◇	◇
Megestrol acetate	◇	◇
Mometasone	◇	◇
Nandrolone	◇	◇
Oxandrolone	◇	◇
Prednisolone	◇	◇
Stanozolol	◇	◇
Testosterone	◇	◇

Key to abbreviations

MVC	Maraviroc (Celsentri®, Selzentry®)
RAL	Raltegravir (Isentress®)

Key to symbols

Filled symbols indicate further information on the interaction is available at www.hiv-druginteractions.org. Empty symbols indicate the combination has not been studied; an interaction has been predicted based on the metabolic profiles of the drugs.

●/○	These drugs should not be coadministered
◻/◻	Potential interaction – may require close monitoring, alteration of drug dosage or timing of administration
◇/◇	No clinically significant interaction expected
◆/◆	There are no clear data, actual or theoretical, to indicate whether an interaction will occur

Where advice differs between countries, and/or between boosted and unboosted regimens, the charts reflect the more cautious option.

© Liverpool HIV Pharmacology Group, University of Liverpool
Pharmacology Research Labs, 1st Floor Block H, 70 Pembroke Place, LIVERPOOL, L69 3GF
We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.